

Maximum permitted weights and dimensions, goods transport Hungary

(update)

Height	4.00m
Width Motor vehicle/trailer Refrigerated vehicle with reinforced thermal insulation	2.55m 2.55m 2.60m
Length Motor vehicle Trailer Articulated vehicle Road train Iorry + 1 trailer	12.00m 12.00m 16.50m
Weight per axle	24.00m
single axle drive axle	10.0t 11.5t
tandem axle of a motor vehicle, with a distance between the axles of <1.00m	11.5t
1.00m to less than 1.30m 1.30m to less than 1.80m	16.0t 18.0t
1.30m to less than 1.80m and the drive axle is fitted with twin tyres and pneumatic suspension or equivalent, or each drive axle is fitted with twin tyres and the maximum load per axle does not exceed 9.5t	19.0t
tandem axle of a trailer or semi-trailer, with a distance between the axles of <1.00m 1.00m to less than 1.30m 1.30m to less than 1.80m	11.0t 16.0t 18.0t
tridem axle of a motor vehicle, with a distance between the axles of 1.30m or less over 1.30m	22.0t 24.0t
tridem axle of a trailer or semi-trailer, with a distance between the axles of 1.30m or less	21.0t
Maximum permitted weight Motor vehicle	24.0t
with 2 axles	18.0t
with 3 axles with 3 axles, if the drive axle is fitted with twin tyres and pneumatic suspension or equivalent, or each drive axle is fitted with twin tyres and the maximum load per axle does not exceed 9.5t	25.0t 26.0t
with 4 axles or more with 4 axles or more, if two of the axles are steering axles and the drive axle is fitted with twin tyres and pneumatic suspension or equivalent, or each drive axle is fitted with twin tyres and the maximum load per axle does not exceed 9.5t	30.0t 32.0t
Trailer with 2 axles	18.0t
with 3 axles Articulated vehicle	24.0t